

Wheel Features

Tread Material:	PU	Core Material:	Cast Iron
Bearing:	Ball Bearing	Tread Hardness:	95A±3
Temperature:	-25°C~60°C	Running Speed:	4km/h

Note: Use beyond temperature range or beyond the recommended speed may shorten product life or even damage the product.



- ✔ 2 precision ball bearings,flexible rotation
- ✔ Polyurethane on casting iron core,high load capacity,wear resistance,oil resistance
- ✔ Environmental protection,quiet,effectively protect the floor
- ✔ Painted,anti-rust and anti-corrosion
- ⚠ High temperature and humidity may shortened service life






Rolling resistance	■ ■ ■ ■ □	Very good
Wear resistance	■ ■ ■ ■ ■	Excellent
Operating noise	■ ■ ■ ■ □	Very good
Floor surface preservation	■ ■ ■ ■ □	Very good

Bracket Features


- ✔ Single-piece forged base,fully welded,impact resistance and high load capacity
- ✔ Plane bearing,high load capacity,impact resistance and flexible steering
- ✔ Radial conical bearing,high load capacity and impact resistance
- ✔ Powder spray treatment,superior anti-rust and anti-corrosion performance,salt spray test over 72 hours
- ✔ ON/OFF pedals,stable braking effect,easy to operate
- ✔ Brake part is replaceable,convenient to maintain

Parameter (mm)							
Wheel Size	Capacity	Wheel Dia.	Wheel Width	Total Height	Offset	Swivel Radius	Swivel Radius
4"	380 kg	100	45	150	34	84	151
5"	480 kg	125	48	175	34	97	151
6"	580 kg	150	50	200	38	113	151
8"	720 kg	200	50	248	47	147	175



[English]

Mounting Drawing



Product ID			
Product Images			
Wheel Size	Plate swivel	Plate fixed	Plate swivel brake
4"	35B26-0132	35B27-0132	35B28-0132
5"	35B01-0133	35B03-0133	35B02-0133
6"	35B04-0134	35B06-0134	35B05-0134
8"	35B07-0135	35B09-0135	35B08-0135

Product Details

ON/OFF brake is easy to operate. Brake components can be replaced with screw connecting.



PlanPlanar bearings and radial conical bearings, with high loading, impact resistance, flexible in rotation.



Concave - convex designed aluminum core hub, lightweight and high strength. The arc wheel is easy to move and effortless.

